


## Vertical hot water cylinders

### SWPC



**B**

**HEAT PUMP  
READY**

**6 year\*  
warranty**

Cylinders with a very big heating coil. Perfect for co-operation with the heat pump.

#### Additional equipment

Grzałki elektryczne: GRW-1,4kW/230V;  
GRW-2,0kW/230V; GRW-3,0kW/230V;  
GRW-4,5kW/400V

Flansa.GRW - flange plug with the connection for immersion heater, max. rated power - 4,5kW

## Most important advantages

### Large coil area

- double heating coil with a surface of 4,22 m<sup>2</sup>
- heat pump compatible.


### Advanced production technology

- automation provides full repeatability of the process and high precision
- evenly applied layer of enamel with optimal thickness creates the highest quality protection

### Unbeatable quality

- products are made of the steel grades selected by our verified suppliers
- each device (100%) undergoes leakage tests and coating checks quality control

## Wymiary



	Diameter (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
SWPC-300	695	1615	127	237	953	1354	1464

## Technical data

Type	Capacity (l)	Surface area of coil (m <sup>2</sup> )	Rated pressure (cylinder / coil) (MPa)	Power of coil ** (kW)	Thickness / insulation material *** (mm)	Stand-by losses **** (W)	Anode type
SWPC-300	305	4,22	0,6 / 1,0	120 / 36	67/PUR/NR	61	AMW.M8.590

\* Detailed warranty conditions are described in the warranty card.

\*\* Following parameters 80/10/450C / 55/10/450C (heating water temp. / feed water temp. / DHW temp.), flow rate of heating water through the coil 2,5 m<sup>3</sup>/h.

\*\*\* Insulation: R - removable, NR - not removable.

\*\*\*\* In line with EU Commission resolution no. 812/2013, 814/2013.